

Regd. Office: 722/AB/15, "Nirmal", Laxmi Park Colony, Navi Peth, Pune - 411030, India

Telephone :+91 (20) 24530071

Email : info@jpharmachem.com, Web : www.jpharmachem.com Factory : Plot No. - 311, Sector- 10, Bhosari, Pune, India, 411035



Safety Data Sheet SODIUM BENZOATE

Revision date : Page: 1/8

Version: 3.0 NUMBER

1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifiers

Chemical Name SODIUM BENZOATE

CAS NO. 532-32-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

- 1. It is used in fireworks as a fuel in whistle mix, a powder that emits a whistling noise when compressed into a tube and ignited.
- 2. It is used in dry lubricants and solid greases.
- 3. It is a nucleating agent for use in thermoplastic masterbatch and compounding to increase the rate of crystal growth and causes it to occur at higher temperatures compared to not using an additive.

Details of the supplier of the safety data sheet

COMPANY DR. J. PHARMACHEM PVT LTD

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Human Health Eye irritation (Category 2), H319

For the full text of the H-Statements mentioned in

this Section, see Section 16.

Xi Irritant R36

Full text of R-, H- and EUH-phrases: see section 16.

2.2 Labelling according Regulation (EC) No 1272/2008 [CLP]

Signal word	vvairiing	

H319 Causes serious eye irritation.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye

protection/face protection.

P305 + P351 + P338 IF IN EYES:Rinse cautiously with water for

several minutes. Remove contact lenses.

Continue rinsing.

14/----

P337 + P313 If eye irritation persists: Get medical

advice/attention.

R-phrase(s)

0:----

R36 Irritating to eyes.

S-phrase(s)

S26 In case of contact with eyes, rinse immediately

with plenty of water and seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves, eye/face

protection



Regd. Office: 722/AB/15,"Nirmal", Laxmi Park Colony, Navi Peth, Pune - 411030, India

Telephone :+91 (20) 24530071

Email : info@jpharmachem.com, Web : www.jpharmachem.com Factory : Plot No. - 311, Sector- 10, Bhosari, Pune, India, 411035



Safety Data Sheet SODIUM BENZOATE

Revision date : Page: 2/8

Version: 3.0 NUMBER

Other hazards 2.3 None.

3 **COMPOSITION/INFORMATION ON INGREDIENTS**

3.1 **Substances**

> Sodium Benzoate Component

> **Chemical Name** Sodium Benzoate

CAS NO 532-32-1

EC Number 208-534-8

Molecular Formula C7H5NaO2

Molecular Weight 144.1 g/mol

Concentration 99 % Min. (Other impurities upto 1%)

4 **FIRST AID MEASURES**

4.1 **Description of first aid measures**

General advice

Remove contaminated, soaked clothing immediately.

If inhaled

Seek medical attention, if necessary.

In case of skin contact Immediately, wash off with plenty of water.

Get medical attention, if necessary.

In case of eye contact Rinse out with plenty of water with the eyelid held

wide open.

Call in ophthalmologist, if symptoms occur.

If swallowed Wash mouth well with water.

Seek medical advice, if necessary.

4.2 Most important symptoms and effects, both acute and delayed

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

FIREFIGHTING MEASURES 5

5.1 **Extinguishing media**

Suitable extinguishing media Carbon dioxide, dry powder, Water spray.

5.2 Special hazards arising from the substance or Fine dust clouds may form explosive mixtures

mixture

with air.

Development of hazardous combustion gases or



Regd. Office: 722/AB/15, "Nirmal", Laxmi Park Colony, Navi Peth, Pune - 411030, India

Telephone :+91 (20) 24530071

Email : info@jpharmachem.com, Web : www.jpharmachem.com Factory : Plot No. - 311, Sector- 10, Bhosari, Pune, India, 411035



Safety Data Sheet SODIUM BENZOATE

Revision date : Version : 3.0		Page: 3/8 NUMBER	
		Carbon monoxide, carbon dioxide, sodium oxide.	
5.3	Advice for firefighters	Stay in danger area only with self-contained	
-	breathing apparatus.		
		Prevent skin contact by keeping a safe distance	
	or by wearing suitable protective clothing.		
	Prevent fire extinguishing water from		
	contaminating surface water or the ground water		

system.

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation of dusts; do no inhale dusts.

Avoid substance contact.

Ensure adequate ventilation.

Keep away from sources of ignition.

Take precautionary measures against static discharges.

Use explosion-proof electrical equipment

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Sweep into container for spilled material.

Avoid raising dusts.

Flush spilled area with water. Cover drains.

Observe possible material restrictions (see sections 7.2 and 10.5) Dispose of properly.

Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Observe label precautions.

7.2 Information about protection against explosions and fires

Ensure good ventilation/exhaustion of the workplace.

Do not store together with auto-igniting material.

Take measures against electrostatic discharge

Store away from sources of ignition.

Avoid raising dusts.

Keep containers tightly closed.

7.3 Conditions for safe storage including any incompatibilities



Regd. Office: 722/AB/15, "Nirmal", Laxmi Park Colony, Navi Peth, Pune - 411030, India

Telephone :+91 (20) 24530071

Email : info@jpharmachem.com, Web : www.jpharmachem.com Factory : Plot No. - 311, Sector- 10, Bhosari, Pune, India, 411035



Safety Data Sheet SODIUM BENZOATE

Revision date : Page: 4/8

Version : 3.0 NUMBER

No data available.

7.4 Specific end use(s)

Apart from the use mentioned in section 1.2 no other specific uses are stipulated.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.2 Exposure control

Engineering measures and appropriate working operations should be given priority over the use of per

Appropriate engineering controls

Use explosions-proof electrical (ventilating, lighting and material handling) equipment.

Eye/face protection

Tightly fitting safety goggles accord. To EN166:2001.

Ensure eye bath is to hand.

Skin protection

Handle with gloves.

Gloves must be inspected prior to use.

Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

Body Protection

Protective clothing.

Respiratory protection

Required when dusts are generated. Recommended Filter type: Filter P2.

Control of environmental exposure

Do not let product enter drains.

9 PHYSICAL AND CHEMICAL PROPERTIES

a)Appearance White Powder

b)Odour Odourless

c)Odour Threshold Not applicable.

d)pH (% solution in water) 7 to 9 (100g/l at 20 Deg C)

pH Not Applicable.



Regd. Office: 722/AB/15,"Nirmal", Laxmi Park Colony, Navi Peth, Pune - 411030, India

Telephone :+91 (20) 24530071

Email: info@jpharmachem.com, Web: www.jpharmachem.com
Factory: Plot No. - 311, Sector- 10, Bhosari, Pune, India, 411035



Safety Data Sheet SODIUM BENZOATE

Revision date : Page: 5/8
Version : 3.0 NUMBER

e)Melting point/freezing point 410 - 436 Deg C

f)Initial boiling point and boiling range >450 °C to <475 °C, decomposes with no

boiling.

g)Flash point Closed Cup > 100 Deg C

h)Evaporation rate Not Applicable.

i)Flammability (solid or gas)

Not Applicable.

j)Upper/lower flammability or explosive limits No data available

k)Vapour pressure < 0.01 hPa at 20 Deg C

I)Vapour density <0.01 hPa

n)Water solubility 62.78 gm / 100 ml at 15 Deg C

o)Partition coefficient: n-octanol/water Log Pow: -2.27 (calculated)

p)Autoignition temperature >500°C

q)Decomposition temperature 450-475 Deg C

r)Viscosity Kinematic and/or Dynamic : Not Applicable.

s)Explosive properties

No data available
t)Oxidizing properties

No data available

9.2 Other safety information

Bulk Density

No data available

10 STABILITY AND REACTIVITY

10.1 Reactivity No data available

10.2 Chemical stability The product is chemically stable under standard

ambient conditions.

10.3 Possibility of hazardous reactions None identified.

10.4 Conditions to avoid Exposure to sources of heat, sources of ignition,

open flame.

10.5 Incompatible materials Oxidizing agents, acids, iron salts moisture.

10.6 Hazardous decomposition products In the event of fire: see chapter

11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat): > 2000 mg/kg

Acute Inhalation toxicity LC50 (Rat): > 12 mg/l



Regd. Office: 722/AB/15, "Nirmal", Laxmi Park Colony, Navi Peth, Pune - 411030, India

Telephone :+91 (20) 24530071

Email: info@jpharmachem.com, Web: www.jpharmachem.com
Factory: Plot No. - 311, Sector- 10, Bhosari, Pune, India, 411035



Safety Data Sheet SODIUM BENZOATE

Revision date : Page: 6/8

Version: 3.0 NUMBER

Acute dermal toxicity LD50 (Rabbits): > 2000 mg/kg

Skin corrosion/irritation Not irritating (OECD 404)

Serious eye damage/eye irritation Irritating (OECD 405)

Respiratory or skin sensitization Not sensitizing

Germ cell mutagenicity No data available

Carcinogenicity No data available

IARC No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single

exposure

No data available

Specific target organ toxicity - repeated

exposure

No data available

RTECS DH6650000

Signs And Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12 **ECOLOGICAL INFORMATION**

12.1 Toxicity

Toxicity to fish LC50 > 100 mg/l / 96h / OECD 203

Toxicity to daphnia and other aquatic LC50 > 100 mg/l / 48h / Daphnia magna / OECD

invertebrates

202

Toxicity to Algae/Aquatic plants EC50 > 100 mg/l / 72h / OECD 201

Toxicity to microorganisms EC50 > 100 mg/l / 24 h / Achromobacter sp.

12.2 Persistence and degradability

Biodegradation

Result: 90 % - Readily biodegradable. Method: OECD Test Guideline 301

12.3 Bio accumulative potential Partition coefficient n-Octanol/Water (log Pow): -

2.27 (calculated) Bioaccumulation is not

expected (log Pow < 1).

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical

safety assessment not required/not conducted

12.6 Other adverse effects We have no quantitative data concerning the

ecological effects of this product.



Regd. Office: 722/AB/15, "Nirmal", Laxmi Park Colony, Navi Peth, Pune - 411030, India

Telephone :+91 (20) 24530071

Email: info@jpharmachem.com, Web: www.jpharmachem.com
Factory: Plot No. - 311, Sector- 10, Bhosari, Pune, India, 411035



Safety Data Sheet SODIUM BENZOATE

Revision date : Page: 7/8
Version : 3.0 NUMBER

13 **DISPOSAL CONSIDERATIONS**

13.1 Waste treatment methods

Product

No data available.

Contaminated packaging

Dispose of as unused product.

Empty contaminated packaging thoroughly.

Recycling after thorough and proper cleaning possible.

14 TRANSPORT INFORMATION

14.1 UN number

ADR/RID IMDG IATA

- -

14.2 UN proper shipping name

ADR/RID IMDG IATA

Not dangerous goods Not dangerous goods Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID IMDG IATA

14.4 Packaging group

ADR/RID IMDG IATA

.

14.5 Environmental hazards

ADR/RID IMDG Marine pollutant IATA

No No No

14.6 Special precautions for user No data available

15 **REGULATORY INFORMATION**


This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety health and environmental regulations/legislation specific for the substance or mixture

No data available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out



Regd. Office:722/AB/15,"Nirmal", Laxmi Park Colony, Navi Peth, Pune - 411030, India

Telephone :+91 (20) 24530071

Email : info@jpharmachem.com, Web : www.jpharmachem.com
Factory : Plot No. - 311, Sector- 10, Bhosari, Pune, India, 411035



Safety Data Sheet SODIUM BENZOATE

Revision date : Page: 8/8

Version: 3.0 NUMBER

16 **OTHER INFORMATION**

According to Regulation (EC) No. 1272/2008

H319 Causes serious eye irritation.

According to 67/548/EEC or 1999/45/EC:

R36 Irritating to eyes.

Month of Creation March 2023

Month of Revision March 2027